

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L6	0	340/573,.1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/12/22 13:10
L7	1836	340/573.1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/12/22 13:10
L9	248	7 and (parent and child) or (master and slave) and 7	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/12/22 13:11
L10	54	9 and (signal near2 strength)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/12/22 13:11
L11	22	9 and (out near2 range)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/12/22 13:12
L12	9	("4101872" "4598272" "4633231" "4675656" "4777478" "4785291" "4833452" "4853692" "4871997").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/22 13:14
L13	37	("5086290").URPN.	USPAT	OR	OFF	2004/12/22 13:49
L14	105	455/421.ccls.	USPAT	OR	OFF	2004/12/22 13:49
L15	33	(out near2 range) and 14	USPAT	OR	OFF	2004/12/22 13:49
S1	1656	(340/539.1).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/12/21 16:18
S2	255787	(parent and child) or (master and slave)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/12/22 13:11
S3	163	S1 and S2	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/12/21 16:20
S4	123	(led\$1 or light or lamp) and S3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/12/21 16:56
S5	0	(tricolor near2 lamp) and S4	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/12/21 16:22

S6	0	tricolor and S4	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/12/21 16:23
S7	2491	(340/539.21,539.23,502,573.4,573.1).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/12/21 17:00
S8	349	S2 and S7	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/12/21 17:01
S9	132	proximity and S8	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/12/21 17:01
S10	44	(signal near2 strength) and S9	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/12/22 13:11
S11	1017	(340/815.4,815.45,815.43).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/12/22 10:52
S12	203823	(parent and child) or (master and slave) and S11	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/12/22 10:53
S13	50	(parent and child) and S11	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/12/22 10:59
S14	82877	"455"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/12/22 10:59
S15	56822	S14 and (parent and child) or (master and slave)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/12/22 11:00
S16	1626	(signal near2 strength) and S15	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/12/22 11:01
S17	0	(out near2 of near2 range) and S16	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/12/22 11:01

S18	0	(out near2 of near2 range) and S12	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/12/22 11:01
S19	3125	(out near2 range) and S12	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/12/22 11:01
S20	264	(signal near2 strength) and S19	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/12/22 11:03
S21	407684	led\$1 or "light emitting diode" and S20	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/12/22 11:03
S22	84	led\$1 and S20	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/12/22 11:04